

Listed are 32 papers, published by 20 (first) authors in the period 1972–2006 that used *Euglossa cognata* Moure. Therefore the conditions of I.C.Z.N. Article 23.9.1.2. are met and Article 23.9.1.1. applies to protect the name *Euglossa cognata* over *Euglossa bureaui* Dominique.

Ackerman, J.D. (1983) Diversity and seasonality of male euglossine bees (Hymenoptera: Apidae) in Central Panama. *Ecology*, 64, 274-283.

Armbruster, W.S., Herzig, A.L., & Clausen, T.P. (1992) Pollination of two sympatric species of *Dalechampia* (Euphorbiaceae) in Suriname by male euglossine. *American journal of botany*, 79, 1374-1381.

Bembé, B. (2002) Prachtbienenfunde aus Panguana, Huánuco, Peru. *Spixiana*, 25, 245-249.

Bembé, B. (2004) Revision der *Euglossa cordata*-Gruppe und Untersuchungen zur Funktionsmorphologie und Faunistik der Euglossini (Hymenoptera, Apidae) Ludwig-Maximilians-Universität, München, 177.

Bonilla-Gómez, M.A. & Nates-Parra, G. (1992) Abejas euglosinas de Colombia (Hymenoptera: Apidae) I. Claves ilustrados. *Caldasia (Bogota)*, 17, 149-172.

Cameron, S.A. (2004) Phylogeny and biology of the neotropical orchid bees (Euglossini). *Annual review of entomology*, 49, 377-404.

Darveau, C.-A., Hochachka, P.W., Roubik, D.W., & Suarez, R.K. (2005) Allometric scaling of flight energetics in orchid bees: evolution of flux capacities. *Journal of experimental biology*, 208, 3593-3602.

Dick, C.W., Roubik, D.W., Gruber, K.L., & Bermingham, E. (2004) Long-distance gene flow and cross-Andean dispersal of lowland rainforest bees (Apidae: Euglossini) revealed by comparative mitochondrial DNA phylogeny. *Molecular ecology*, 13, 3775-3785.

Dressler, R.L. (1978) An infrageneric classification of *Euglossa*, with notes on some features of special taxonomic importance (Hymenoptera; Apidae). *Revista de biología tropical*, 26, 187-198.

Dressler, R.L. (1982a) Biology of the orchid bees (Euglossini). *Annual review of ecology and systematics*, 13, 373-394.

Dressler, R.L. (1982b) New species of *Euglossa*. II. (Hymenoptera: Apidae). *Revista de biología tropical*, 30, 121-129.

Dressler, R.L. (1985) Euglossine bees (Hymenoptera: Apidae) of the Tambopata reserved zone, Madre de Dios, Perú. *Revista peruana de entomología*, 27, 75-79.

- Eltz, T. & Lunau, K. (2005) Antennal response to fragrance compounds in male orchid bees. *Chemoecology*, 15, 135-138.
- Eltz, T., Manfred, A., & Lunau, K. (2006) Species-specific antennal responses to tibial fragrances by male orchid bees. *Journal of chemical ecology*, 32, 71-79.
- Eltz, T., Roubik, D.W., & Lunau, K. (2005a) Experience-dependent choices ensure species-specific fragrance accumulation in male orchid bees. *Behavioral ecology and sociobiology*, 59, 149-156.
- Eltz, T., Roubik, D.W., & Whitten, W.M. (2003) Fragrances, male display and mating behaviour of *Euglossa hemichlora*: a flight cage experiment. *Physiological entomology*, 28, 251-260.
- Eltz, T., Sager, A., & Lunau, K. (2005b) Juggling with volatiles: exposure of perfumes by displaying male orchid bees. *Journal of Comparative Physiology A: Sensory, Neural, and Behavioral Physiology*, 191, 575-581.
- Eltz, T., Whitten, W.M., Roubik, D.W., & Linsenmaier, W. (1999) Fragrance collection, storage, and accumulation by individual male orchid bees. *Journal of chemical ecology*, 25, 157-176.
- Janzen, D.H., DeVries, P.J., Higgins, M.L., & Kimsey, L.S. (1982) Seasonal and site variation in Costa Rican euglossine bees at chemical baits in lowland deciduous and evergreen forests. *Ecology*, 63, 66-74.
- Nemésio, A. & Silveira, F.A. (2006) Edge effects on the orchid-bee fauna (Hymenoptera: Apidae) at a large remnant of Atlantic rain forest in southeastern Brazil. *Neotropical Entomology*, 35, 313-323.
- Oliveira, M.L.d. & Oliveira, L.A.d. (1995) Abundância, riqueza e diversidade de abelhas euglossinae (Hymenoptera, Apidae) em florestas contínuas de terra firme na Amazônia central, Brasil. *Revista brasileira de zoologia*, 12, 547-556.
- Oliveira, M.L.d. & Oliveira, L.A.d. (1996) Preferência por estratos florestais e por substâncias odorífera em abelhas Euglossinae (Hymenoptera, Apidae). *Revista brasileira de zoologia*, 13, 1075-1085.
- Ospina-Torres, R., Parra-H, A., & González, V.H. (2006) The male gonostylus of the orchid bee genus *Euglossa* (Apidae: Euglossini). *Zootaxa*, 1320, 49-55.
- Pearson, D.L. & Dressler, R.L. (1985) Two-year study of male orchid bee (Hymenoptera: Apidae: Euglossini) attraction to chemical baits in lowland south-eastern Perú. *Journal of tropical ecology*, 1, 37-54.

Ramírez, S.R., Dressler, R.L., & Ospina, M. (2002) Abejas euglosinas (Hymenoptera: Apidae) de la región Neotropical: Listado de especies con notas sobre su biología. *Biota Colombiana*, 3, 7-118.

Roubik, D.W. (1993) Tropical Pollinators in the Canopy and Understory: Field Data and Theory for Stratum "Preferences". *Journal of insect behaviour*, 6, 659-673.

Roubik, D.W. & Ackerman, J.D. (1987) Long-term ecology of euglossine orchid-bees (Apidae: Euglossini) in Panama. *Oecologia*, 73, 321-333.

Roubik, D.W. & Hanson, P. (2004) Orchid bees of tropical America INBio, 370.

Silveira, F.A., Melo, G.A.R., & Almeida, E.A.B. (2002) Abelhas Brasileiras sistemática e identificação F. A. Silveira, Belo Horizonte, 253.

Smith-Pardo, A.H. (2003) A preliminary account of the bees of Colombia (Hymenoptera: Apoidea): present knowledge and future directions. *Journal of the Kansas entomological society*, 76, 335-341.

Suarez, R.K., Darveau, C.-A., Welch, K.C., O'Brien, D.M., Roubik, D.W., & Hochachka, P.W. (2005) Energy metabolism in orchid bee flight muscles: carbohydrate fuels all. *Journal of experimental biology*, 208, 3573-3579.

Williams, N.H. & Dodson, C.H. (1972) Selective attraction of male Euglossine Bees to orchid floral fragrances and its importance in long distance pollen flow. *Evolution*, 26, 84-95.